



CornerPro™ Board Length: 6-8"

Leg Length: 4"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	14	6	2400	33,600
0.080	14	6	1800	25,200
0.090	14	6	1620	22,680
0.100	14	6	1440	20,160
0.120	14	6	1200	16,800
0.140	14	6	1020	14,280
0.160	14	6	900	12,600
0.180	14	6	780	10,920
0.200	14	6	720	10,080
0.225	14	6	630	8,820
0.250	14	6	570	7,980
0.275	14	6	510	7,140
0.300	14	6	480	6,720
0.325	14	6	450	6,300

Leg Length: 5"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	12	6	2400	28,800
0.080	12	6	1800	21,600
0.090	12	6	1620	19,440
0.100	12	6	1440	17,280
0.120	12	6	1200	14,400
0.140	12	6	1020	12,240
0.160	12	6	900	10,800
0.180	12	6	780	9,360
0.200	12	6	720	8,640
0.225	12	6	630	7,560
0.250	12	6	570	6,840
0.275	12	6	510	6,120
0.300	12	6	480	5,760
0.325	12	6	450	5,400

Leg Length: 6"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	10	6	2400	24,000
0.080	10	6	1800	18,000
0.090	10	6	1620	16,200
0.100	10	6	1440	14,400
0.120	10	6	1200	12,000
0.140	10	6	1020	10,200
0.160	10	6	900	9,000
0.180	10	6	780	7,800
0.200	10	6	720	7,200
0.225	10	6	630	6,300
0.250	10	6	570	5,700
0.275	10	6	510	5,100
0.300	10	6	480	4,800
0.325	10	6	450	4,500



CornerPro™ Board Length: 9-12"

Leg Length: 4"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	14	4	1600	22,400
0.080	14	4	1200	16,800
0.090	14	4	1080	15,120
0.100	14	4	960	13,440
0.120	14	4	800	11,200
0.140	14	4	680	9,520
0.160	14	4	600	8,400
0.180	14	4	520	7,280
0.200	14	4	480	6,720
0.225	14	4	420	5,880
0.250	14	4	380	5,320
0.275	14	4	340	4,760
0.300	14	4	320	4,480
0.325	14	4	300	4,200

Leg Length: 5"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	12	4	1600	19,200
0.080	12	4	1200	14,400
0.090	12	4	1080	12,960
0.100	12	4	960	11,520
0.120	12	4	800	9,600
0.140	12	4	680	8,160
0.160	12	4	600	7,200
0.180	12	4	520	6,240
0.200	12	4	480	5,760
0.225	12	4	420	5,040
0.250	12	4	380	4,560
0.275	12	4	340	4,080
0.300	12	4	320	3,840
0.325	12	4	300	3,600

Leg Length: 6"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	10	4	1600	16,000
0.080	10	4	1200	12,000
0.090	10	4	1080	10,800
0.100	10	4	960	9,600
0.120	10	4	800	8,000
0.140	10	4	680	6,800
0.160	10	4	600	6,000
0.180	10	4	520	5,200
0.200	10	4	480	4,800
0.225	10	4	420	4,200
0.250	10	4	380	3,800
0.275	10	4	340	3,400
0.300	10	4	320	3,200
0.325	10	4	300	3,000



CornerPro™ Board Length: 13-16"

Leg Length: 4"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	14	3	1200	16,800
0.080	14	3	900	12,600
0.090	14	3	810	11,340
0.100	14	3	720	10,080
0.120	14	3	600	8,400
0.140	14	3	510	7,140
0.160	14	3	450	6,300
0.180	14	3	390	5,460
0.200	14	3	360	5,040
0.225	14	3	315	4,410
0.250	14	3	285	3,990
0.275	14	3	255	3,570
0.300	14	3	240	3,360
0.325	14	3	225	3,150

Leg Length: 5"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	12	3	1200	14,400
0.080	12	3	900	10,800
0.090	12	3	810	9,720
0.100	12	3	720	8,640
0.120	12	3	600	7,200
0.140	12	3	510	6,120
0.160	12	3	450	5,400
0.180	12	3	390	4,680
0.200	12	3	360	4,320
0.225	12	3	315	3,780
0.250	12	3	285	3,420
0.275	12	3	255	3,060
0.300	12	3	240	2,880
0.325	12	3	225	2,700

Leg Length: 6"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	10	3	1200	12,000
0.080	10	3	900	9,000
0.090	10	3	810	8,100
0.100	10	3	720	7,200
0.120	10	3	600	6,000
0.140	10	3	510	5,100
0.160	10	3	450	4,500
0.180	10	3	390	3,900
0.200	10	3	360	3,600
0.225	10	3	315	3,150
0.250	10	3	285	2,850
0.275	10	3	255	2,550
0.300	10	3	240	2,400
0.325	10	3	225	2,250



CornerPro™ Board Length: 17-23"

Leg Length: 4"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	14	2	800	11,200
0.080	14	2	600	8,400
0.090	14	2	540	7,560
0.100	14	2	480	6,720
0.120	14	2	400	5,600
0.140	14	2	340	4,760
0.160	14	2	300	4,200
0.180	14	2	260	3,640
0.200	14	2	240	3,360
0.225	14	2	210	2,940
0.250	14	2	190	2,660
0.275	14	2	170	2,380
0.300	14	2	160	2,240
0.325	14	2	150	2,100

Leg Length: 5"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	12	2	800	9,600
0.080	12	2	600	7,200
0.090	12	2	540	6,480
0.100	12	2	480	5,760
0.120	12	2	400	4,800
0.140	12	2	340	4,080
0.160	12	2	300	3,600
0.180	12	2	260	3,120
0.200	12	2	240	2,880
0.225	12	2	210	2,520
0.250	12	2	190	2,280
0.275	12	2	170	2,040
0.300	12	2	160	1,920
0.325	12	2	150	1,800

Leg Length: 6"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	10	2	800	8,000
0.080	10	2	600	6,000
0.090	10	2	540	5,400
0.100	10	2	480	4,800
0.120	10	2	400	4,000
0.140	10	2	340	3,400
0.160	10	2	300	3,000
0.180	10	2	260	2,600
0.200	10	2	240	2,400
0.225	10	2	210	2,100
0.250	10	2	190	1,900
0.275	10	2	170	1,700
0.300	10	2	160	1,600
0.325	10	2	150	1,500



CornerPro™ Board Length: 24-60"

Leg Length: 4"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	14	1	400	5,600
0.080	14	1	300	4,200
0.090	14	1	270	3,780
0.100	14	1	240	3,360
0.120	14	1	200	2,800
0.140	14	1	170	2,380
0.160	14	1	150	2,100
0.180	14	1	130	1,820
0.200	14	1	120	1,680
0.225	14	1	105	1,470
0.250	14	1	95	1,330
0.275	14	1	85	1,190
0.300	14	1	80	1,120
0.325	14	1	75	1,050

Leg Length: 5"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	12	1	400	4,800
0.080	12	1	300	3,600
0.090	12	1	270	3,240
0.100	12	1	240	2,880
0.120	12	1	200	2,400
0.140	12	1	170	2,040
0.160	12	1	150	1,800
0.180	12	1	130	1,560
0.200	12	1	120	1,440
0.225	12	1	105	1,260
0.250	12	1	95	1,140
0.275	12	1	85	1,020
0.300	12	1	80	960
0.325	12	1	75	900

Leg Length: 6"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	10	1	400	4,000
0.080	10	1	300	3,000
0.090	10	1	270	2,700
0.100	10	1	240	2,400
0.120	10	1	200	2,000
0.140	10	1	170	1,700
0.160	10	1	150	1,500
0.180	10	1	130	1,300
0.200	10	1	120	1,200
0.225	10	1	105	1,050
0.250	10	1	95	950
0.275	10	1	85	850
0.300	10	1	80	800
0.325	10	1	75	750



CornerPro™ Board Length: 61-100"

Leg Length: 4"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	7	1	400	2,800
0.080	7	1	300	2,100
0.090	7	1	270	1,890
0.100	7	1	240	1,680
0.120	7	1	200	1,400
0.140	7	1	170	1,190
0.160	7	1	150	1,050
0.180	7	1	130	910
0.200	7	1	120	840
0.225	7	1	105	735
0.250	7	1	95	665
0.275	7	1	85	595
0.300	7	1	80	560
0.325	7	1	75	525

Leg Length: 5"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	6	1	400	2,400
0.080	6	1	300	1,800
0.090	6	1	270	1,620
0.100	6	1	240	1,440
0.120	6	1	200	1,200
0.140	6	1	170	1,020
0.160	6	1	150	900
0.180	6	1	130	780
0.200	6	1	120	720
0.225	6	1	105	630
0.250	6	1	95	570
0.275	6	1	85	510
0.300	6	1	80	480
0.325	6	1	75	450

Leg Length: 6"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	5	1	400	2,000
0.080	5	1	300	1,500
0.090	5	1	270	1,350
0.100	5	1	240	1,200
0.120	5	1	200	1,000
0.140	5	1	170	850
0.160	5	1	150	750
0.180	5	1	130	650
0.200	5	1	120	600
0.225	5	1	105	525
0.250	5	1	95	475
0.275	5	1	85	425
0.300	5	1	80	400
0.325	5	1	75	375



CornerPro™ Board Length: 101-159"

Leg Length: 4"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	6	1	400	2,400
0.080	6	1	300	1,800
0.090	6	1	270	1,620
0.100	6	1	240	1,440
0.120	6	1	200	1,200
0.140	6	1	170	1,020
0.160	6	1	150	900
0.180	6	1	130	780
0.200	6	1	120	720
0.225	6	1	105	630
0.250	6	1	95	570
0.275	6	1	85	510
0.300	6	1	80	480
0.325	6	1	75	450

Leg Length: 5"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	5	1	400	2,000
0.080	5	1	300	1,500
0.090	5	1	270	1,350
0.100	5	1	240	1,200
0.120	5	1	200	1,000
0.140	5	1	170	850
0.160	5	1	150	750
0.180	5	1	130	650
0.200	5	1	120	600
0.225	5	1	105	525
0.250	5	1	95	475
0.275	5	1	85	425
0.300	5	1	80	400
0.325	5	1	75	375

Leg Length: 6"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	4	1	400	1,600
0.080	4	1	300	1,200
0.090	4	1	270	1,080
0.100	4	1	240	960
0.120	4	1	200	800
0.140	4	1	170	680
0.160	4	1	150	600
0.180	4	1	130	520
0.200	4	1	120	480
0.225	4	1	105	420
0.250	4	1	95	380
0.275	4	1	85	340
0.300	4	1	80	320
0.325	4	1	75	300



CornerPro™ Board Length: 160-189"

Leg Length: 4"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	5	1	400	2,000
0.080	5	1	300	1,500
0.090	5	1	270	1,350
0.100	5	1	240	1,200
0.120	5	1	200	1,000
0.140	5	1	170	850
0.160	5	1	150	750
0.180	5	1	130	650
0.200	5	1	120	600
0.225	5	1	105	525
0.250	5	1	95	475
0.275	5	1	85	425
0.300	5	1	80	400
0.325	5	1	75	375

Leg Length: 5"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	4	1	400	1,600
0.080	4	1	300	1,200
0.090	4	1	270	1,080
0.100	4	1	240	960
0.120	4	1	200	800
0.140	4	1	170	680
0.160	4	1	150	600
0.180	4	1	130	520
0.200	4	1	120	480
0.225	4	1	105	420
0.250	4	1	95	380
0.275	4	1	85	340
0.300	4	1	80	320
0.325	4	1	75	300

Leg Length: 6"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	3	1	400	1,200
0.080	3	1	300	900
0.090	3	1	270	810
0.100	3	1	240	720
0.120	3	1	200	600
0.140	3	1	170	510
0.160	3	1	150	450
0.180	3	1	130	390
0.200	3	1	120	360
0.225	3	1	105	315
0.250	3	1	95	285
0.275	3	1	85	255
0.300	3	1	80	240
0.325	3	1	75	225



CornerPro™ Board Length: 190-288"

Leg Length: 4"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	4	1	400	1,600
0.080	4	1	300	1,200
0.090	4	1	270	1,080
0.100	4	1	240	960
0.120	4	1	200	800
0.140	4	1	170	680
0.160	4	1	150	600
0.180	4	1	130	520
0.200	4	1	120	480
0.225	4	1	105	420
0.250	4	1	95	380
0.275	4	1	85	340
0.300	4	1	80	320
0.325	4	1	75	300

Leg Length: 5"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	3	1	400	1,200
0.080	3	1	300	900
0.090	3	1	270	810
0.100	3	1	240	720
0.120	3	1	200	600
0.140	3	1	170	510
0.160	3	1	150	450
0.180	3	1	130	390
0.200	3	1	120	360
0.225	3	1	105	315
0.250	3	1	95	285
0.275	3	1	85	255
0.300	3	1	80	240
0.325	3	1	75	225

Leg Length: 6"				
Caliper	# of Rows	Rows / Layer	PCs / Rows	PCs / Pallet
0.060	2	1	400	800
0.080	2	1	300	600
0.090	2	1	270	540
0.100	2	1	240	480
0.120	2	1	200	400
0.140	2	1	170	340
0.160	2	1	150	300
0.180	2	1	130	260
0.200	2	1	120	240
0.225	2	1	105	210
0.250	2	1	95	190
0.275	2	1	85	170
0.300	2	1	80	160
0.325	2	1	75	150